

- Deeply plowing the lighting industry for 18 years
- Sold 600,000 sets linear lights in 2024
- 20pcs automatic molding production lines for linear lights
- Service for many international and domestic lighting brands
- 3 days for sample, 7 days for standard products, 12 days for customized products.



深圳总部：
深圳市宝安区石岩街道塘头一号创维创新谷A2栋1013室

Room 1013, No. 2A Building, skyworth Innovation Valley, No. 1 Tangtou Road,
Tangtou Community, Shiyan Street, Bao'an District, Shenzhen City,
Guangdong Province, P.R.C. 518108

中山公司：
中山市港口镇沙港东路23号深港穗工业园1号厂房4-7楼

No. 23 Shagang East Road, Gangsui Industrial Park, Building No. 1, Floor
4-7th, Zhongshan, Guangdong, P.R.C. 528447



LIGHTING FIXTURES

Professional and dedicated to providing customized lighting fixture services.

照明灯具, 专业专注提供照明灯具订制化服务

深圳市绿色半导体照明有限公司

Light Green International Co., Ltd.

www.light-green.cn

2025.10

Email: info@light-green.cn

LIGHT GREEN

Specializing in the production of lighting fixtures
strength manufacturers

—

Highlighting Products
Every sparkle deserves to be seen

Innovative
Unique aesthetic lines and artisanal details
Locking in every inch of light

—

Product Lineup

Overseas Markets

01

公司介绍
Company Introduction

发展历程	Development History
设备优势	Equipment Advantages

02

产品中心
Product Center

A系列/ 线槽照明系统	Trunking lighting systems
B系列/ 偏光照明系统	Polarized Lighting System
C系列/ 配光系列线条灯	Light Distributed type Linear Lights Series
D系列/ 经济型线条灯	Economic Linear Lights
E系列/ 嵌入式线条灯	Recessed linear light
F系列/ 领航超薄线条灯	Ultra-thin linear light
G系列/ 米其林线条灯	Michelin linear light
H系列/ 拼接型线条灯	Spliced Linear Light
I系列/ 灯 带	Strip lights

03

资质认证
Qualification Certification

资质证书	Qualification Certificates
认证证书	Certification Certificate

04

联系我们
Contact Us

VIP尊享服务	VIP Exclusive Services
---------	------------------------



Light Green International Co.,LTD.

(abbreviation:LightGreen) was established in 2007 and was awarded as a NationalHigh-Tech Enterprise in 2011.With an industrial base of more than 10,000 square meters, is a professional lighting company engaged in the development and production of LED intelligent lighting and small area lighting products, sales and service in one.We have served many famous international and domestic lighting brands for many years and have 15 years of working experience in the industry. We are always committed to providing high quality lighting fixtures to our global customers.

Компания Shenzhen Green Semiconductor Lighting Company Limited (далее: Light Green) была основана в 2007 году, в 2011 году получила звание национального высокотехнологичного предприятия.Имеет производственную базу площадью более 10 000 кв. м, занимается разработкой светодиодных интеллектуальных светильников и продукции для освещения небольших территорий, а также производством, продажей, обслуживанием в одной из профессиональных светотехнических компаний.За годы работы мы обслуживали многие международные и отечественные известные светотехнические бренды, имея 15-летний опыт работы в данной отрасли. Мы всегда стремимся обеспечить высокое качество осветительных приборов для глобальных клиентов.

Шэньчэн الأخضر الإضاءة أشباه الموصلات المحدودة (مختصر النحو : الإضاءة الخضراء) تأسست في عام 2007 ، في عام 2011 ، كما تم تقييم التكنولوجيا العالية المشاريع الوطنية . الذكية ، فضلا LED مع قاعدة صناعية من أكثر من 10000 متر مربع ، هي شركة تعمل في مجال الإضاءة عن تطوير منتجات الإضاءة الإقليمية الصغيرة والإنتاج والمبيعات والخدمة في واحدة من شركات الإضاءة المهنية . على مر السنين في خدمة الدولية والمحلية العديد من العلامات التجارية المعروفة الإضاءة مع ١٥ عاما من الخبرة في العمل في هذه الصناعة . ونحن ملتزمون دائما لتزويد العملاء في جميع أنحاء العالم مع تركيبات الإضاءة عالية الجودة .

Light Green has a number of industry-experienced product development engineers, covering industrial design/structural design/electronic design and other areas of expertise, for the company's products continue to innovate a steady stream of power.

В компании Green Lighting работает целый ряд инженеров по разработке продукции с богатым опытом работы в отрасли, охватывающим промышленный дизайн/конструктивный дизайн/электронный дизайн и другие области знаний, благодаря чему продукция компании продолжает обновлять постоянный поток энергии.

الإضاءة الخضراء لديها العديد من المهندسين ذوي الخبرة في تطوير المنتجات في هذه الصناعة ، بما في ذلك التصميم الصناعي / التصميم الهيكلي / التصميم الإلكتروني وغيرها من المجالات من المهنيين ، منتجات الشركة من أجل استمرار تدفق الابتكار .

The company invested in the production scale operation of the intelligent production line, million cold bending forming equipment to create the first precedent in the lamp industry, the introduction of 15 sets of advanced automatic forming wheel pressure machine, from the steel body to the lamp body every 25 seconds to form a new environmentally friendly materials, without the need for secondary processing of the scale of the powerful. Can meet the market's high demand for customised lamps and lanterns, as well as the output ratio of production efficiency, has a big help to improve the delivery rate of customers.

Компания инвестировала в масштаб производства интеллектуальной производственной линии, миллион холодной гибки формовочного оборудования, чтобы создать первый прецедент в ламповой промышленности, внедрение 15 комплектов передовых автоматических формовочных колесо давления машины, из стального корпуса в корпус лампы каждые 25 секунд, чтобы сформировать новый экологически чистых материалов, без необходимости вторичной обработки масштаба мощный. Может удовлетворить высокий спрос рынка на индивидуальные лампы и фонари, а также выходной коэффициент эффективности производства, имеет большую помощь в улучшении скорости доставки клиентов.

وقد استثمرت الشركة في خط الانتاج الذكي في حجم الإنتاج والتشغيل ، مليون درجة الانحناء الباردة تشكيل المعدات لإنشاء أول سابقة في صناعة الإضاءة ، وإدخال ١٥ متقدمة التلقائي تشكيل عجلة الصحافة آلة واحدة ، من الصلب إلى مصباح الجسم كل ٢٥ ثانية تشكيل ، مواد جديدة صديقة للبيئة ، لا تحتاج إلى معالجة الثانوية قالب قوي . فائدة نموذج يمكن أن تلبي متطلبات عالية من مصباح التخصيص في السوق ، ونسبة الانتاج من كفاءة الإنتاج ، لديها مساعدة كبيرة ، وتحسين معدل تسليم العملاء .

Light Green maintains a leading position in the lighting industry by virtue of efficient management, strong R&D strength, production capacity and sales ability, quickly meets the customised needs of customers, and its products are exported to domestic and international markets, providing professional lighting fixtures for customers all over the world.

Компания Green Lighting занимает лидирующие позиции в светотехнической отрасли благодаря эффективному управлению, мощным научно-исследовательским разработкам, производственным мощностям и бытовым возможностям, быстро удовлетворяет индивидуальные потребности клиентов, а ее продукция экспортируется на внутренний и международный рынки, обеспечивая профессиональными светильниками клиентов по всему миру.

الإضاءة الخضراء مع إدارة فعالة ، قوية قوة البحث والتطوير ، والقدرة على الإنتاج والقدرة على المبيعات في صناعة الإضاءة للحفاظ على مكانتها الرائدة ، بسرعة لتلبية احتياجات العملاء حسب الطلب ، ويتم تصدير المنتجات إلى الأسواق المحلية والأجنبية ، لتزويد العملاء مع الإضاءة المهنية .



2007y

公司成立

Light Green off icially established in 2007.
B 2007 roAy KOMnaHMa Shenzhen Green SemiconductorLighting Co.
Co . , Ltd . في عام ٢٠٠٧ ، وشنتشن الأخضر أشباه الموصلات الإضاءة

2010y

出口第一

In 2010 ,increased capital to 20 million CNY,annual exportfor
side lighting series exceeded 100,000 sets, keep TOP1ranking of
LED panellight export.
B 2010 году прирост составил 20 млн. юаней, годовой экспорт
серии светонизлучающих изделий превысил 100 тыс. комплектов, в
течение четырех лет подряд экспорт светодиодных плоских ламп
занимал первое место в стране.
في عام ٢٠١٠ ، بزيادة رأس المال من ٢٠ مليون يوان ، سلسلة من المنتجات الجانب مضيئة
الصادرات السنوية أكثر من ١٠٠ ، ٠٠٠ مجموعات ، لمدة ٤ سنوات متتالية للحفاظ على
لوحة مسطحة الصمام مصباح الصادرات في المرتبة الأولى في البلاد .

2012y

发明专利

In 2012.we entered into coope ration with theBroadband Sem
iconducto Research Centerof PekingUniversity and obtained the
patent of product invention.
B 2012 году мы заключили сотрудничество с Исследовательским
центром широкополосных полупроводников Пекинского
университета и Высшей школой Университета Цинхуа и получили
патенты на изобретения.
في عام ٢٠١٢ ، مع جامعة بكين مركز بحوث أشباه الموصلات ذات النطاق العريض ،
جامعة تسينغهوا ، كلية الدراسات العليا إلى التعاون والحصول على براءة اختراع المنتج .

2015y

线条灯具

In 2015 the same year to China's the company investedin large
assets of intelligent production equipment tolead the new trendof
commerciallighting.
B 2015 году компания инвестировала большие средства в
приобретение интеллектуального производственного
оборудования, чтобы возглавить новую тенденцию в производстве
линейных светильников для коммерческого освещения.
في عام ٢٠١٥ ، استثمرت الشركة في الأصول الكبيرة لشراء معدات الإنتاج الذكية ، مما
يؤدي إلى الاتجاه الجديد من خط الإضاءة التجارية .

2018y

智能生产

in 2018, the company used millions ofinvestment tobuild the
pioneering automatic molding line in thelighting industry.
B 2018 году компания инвестировала миллионы в интеллектуальное
оборудование для создания первой в светотехнической отрасли
автоматической линии сборки пресс-форм.
في عام ٢٠١٨ ، استثمرت الشركة أكثر من مليون من المعدات الذكية لخلق صناعة الإضاءة
، أول خط التجميع التلقائي تشكيل .

2021y-至今

扩大规模

The company was off icially established in Zhong shanCity at the
end of 2021 Shenzhen company is mainlyengaged intelligent
product developmentand internet platform developme nt.
B конце 2021 года компания официально открыла филиал в городе
Чжуншань. Компания занимается в основном разработкой
интеллектуальных продуктов и созданием платформ.
بحلول نهاية عام ٢٠٢١ ، أنشأت الشركة رسميا فرع في مدينة تشونغشان . الشركة
الرئيسية تطوير المنتجات الذكية منصة التنمية .

设备优势

The company has invested in intelligent production lines in the production scale operation, the million cold bending molding equipment to create the first precedent in the lamp industry. The introduction of 15 sets of advanced automatic molding clip body press, from the steel body to the lamp body molding every 25 seconds. New environmentally friendly materials without secondary processing, powerful scale. Can meet the market's high demand for customized lamps and lanterns.

Компания инвестировала средства в интеллектуальные производственные линии в ма штабе производства, а также миллион единиц оборудования для холодной гибки и ф ормовки, чтобы создать первый прецедент в индустрии ламп и фонарей. Внедрение 15 комплектов передовых автоматических прессов для формирования корпуса лампы, от стального корпуса до корпуса лампы, формируемого каждые 25 секунд. Новые экологически чистые материалы без вторичной обработки, мощный масштаб. Может удовлетворить высокий спрос рынка на индивидуальные лампы и фонари.

وقد استثمرت الشركة في خط الانتاج الذكي في عملية الإنتاج على نطاق واسع ، مما يجعل من أول سابقة في صناعة الإضاءة من قبل الملايين من الصف الباردة الانحناء تشكيل المعدات . استيراد ١٥ متقدمة التلقائي تشكيل آلة الضغط المنظم ، من الجسم الصلب مصباح الجسم كل ٢٥ ثانية تشكيل . نوع جديد من المواد الصديقة للبيئة لا تحتاج إلى المعالجة الثانوية ، على نطاق واسع . فائدة نموذج يمكن أن تلبي متطلبات عالية من السوق على مصباح التخصيص .

性价比高

High quality and low price compared with aluminum chandelier. The same quality is at least 30% cheaper than aluminum pendant lights. Similar price compared to bent iron lamps. Comparable to the exquisite craftsmanship of aluminum, spend the same price to buy better products.

Высокое качество и низкая цена по сравнению с алюминиевыми подвесными светильниками. При том же качестве подвесные светильники дешевле алюминиевых не менее чем на 30%. Аналогичная цена по сравнению со светильниками из гнутого железа. Сравнимо с изысканным мастерством алюминия, потратьте ту же цену, чтобы купить более качественные изделия.

مقارنة مع الألومنيوم مصباح معلق ، عالية الجودة ، وانخفاض الأسعار . نوعية مماثلة على الأقل ٣٠ ٪ أرخص من الألومنيوم الثريا . مقارنة مع الانحناء مصباح الحديد المطاوع ، السعر قريب . مقارنة مع الألومنيوم غرامة الحرفية ، تنفق نفس السعر لشراء أفضل المنتجات .

配件齐全

Hanging wire, hanging rod, ceiling, square pass, bridge and other various installation methods, basically meet the market demand for splicing solutions, can do shadowless splicing effect.

Подвесной провод, подвесная штанга, потолок, квадратный проход, мост и другие различные методы установки, в основном удовлетворяют рыночный спрос на решения по сращиванию, могут выполнять эффект бесшовного сращивания.

شماعات ، شماعات ، سقف ، مربع ، جسر ، الخ ، والتي يمكن أن تلبي الطلب في السوق ، ويمكن تحقيق تأثير الظل الربط .



• 定制化服务

Customised services
Индивидуальные услуги
خدمة مخصصة

• 个性化照明

Personalised Lighting
Индивидуальное освещение
الإضاءة الشخصية

• 模组化设计

Modular design
Модульная конструкция
تصميم وحدات

• 快速化响应

Rapid response
Быстрое реагирование
استجابة سريعة

Trunking Lighting Systems

System compatible with spotlight/focusedlight/projector/emergency light,etc.


系统配套包含射灯 / 重点照明 / 投影仪 / 显示屏 / 应急照明等。



Matching modules



Splice elements



Trunking Lighting Systems

This Europe and Us commercial mains trend continues-row lighting system, a track can be matchedwith different types of lights, wiring-free, new design end caps can be quickly spliced, simple andgenerous appearanice,multiple modules to choose from, equipped with downlights, spotlight,projection lamps, displays, emergency lighting, etc.;

to provide energy storage services, storage innight and lighting in daytime, in the realization of the lighting at the same time can be brought to theenergy-saving, advertising ambience, emergency standby, and other different commercial value.Dimming and color dimming intelligent control method can be used DALI 2,0-10V radar sensingsolution.

这种延续欧美商业主灯潮流的排灯系统，一条轨道可搭配不同类型的灯具，无需布线，全新设计的端盖可快速拼接，外观简洁大方，多种模块可供选择，可配备筒灯、射灯、投射灯、显示屏、应急照明等。提供储能服务，夜间储能，白天照明，在实现照明的同时可带来节能广告氛围、应急备用等不同的商业价值。调光调色智能控制方式可采用DALI 2、0-10V雷达传感解决方案。



Spotlight

Highlight the three-dimensionality, gloss and color of item

Projector

Projecting dynamic advertisements, festive atmosphere, pattern decoration, promotional pricing, creating an atmosphere for events, etc.

Advertisement Display

To place dynamic ads, promotional pricing, holiday events with WIFI control

Emergency Sign

Enable indoor personnel to know where they are in time forsafe evacuation.

III

Trunking Lighting Systems

This trunking lighting system is super cost-effective, a trunking can be matched with different types of lights, wiring-free, new design transparent end caps can be quickly spliced, the appearance is simple and generous, diversified modules to choose from, first equipped with projector and display modules, achieving the lighting effect,at the same time can bring different commercial values such as advertisement and atmosphere.

此款具有超高性价比的线槽照明系统，一条轨道可以搭配不同类型的灯，免布线，全新设计透明端盖可快速拼接，外观简约大方，多元化模组可供选择，首次搭载了投影和显示屏模块，在实现照明的同时可以给空间带来广告、氛围等不同商业价值。



55/75W

Model: F868 Trunking Lighting
SystemBeam angle: Narrow angle 60 ,
Wide angle 90 °, RS/LS 20 °,DS 25 °,
with 1-row and two-row lens.RA:80

55/75W

Model: F868 Trunking Lighting
SystemBeam angle: Narrow angle 60 ,
Wide angle 90 °, RS/LS 20 °,DS 25 °,
with 1-row and two-row lens.RA:80

55/75W

Model: F868 Trunking Lighting
SystemBeam angle: Narrow angle 60 ,
Wide angle 90 °, RS/LS 20 °,DS 25 °,
with 1-row and two-row lens.RA:80

III


Multi-angle Lighting Pattern Design

System supporting a variety of light patterns to meet the lighting needs of multiple scenes

系统配套支持多种光型，满足多场景的照明需求。直下60°/90°
单偏20° 双偏25°

Uniformly and softly designed with different optical angles, different light-emitting angles can be selected according to the different areas of the superstore's use, so that the place that should be bright. The design of the product can be easily adapted to changes in the layout of the superstore.

均匀柔和的设计了不同的光学角度，可根据商超不同的区域用途选择不同的发光角度，让该亮的地方亮。产品的设计可以轻松适应商超布局的变化。



Trunking Lighting Systems

With bridge and trunking 2-in-1 bottom alignment design, easy construction, free replacement of the bottom light, seamless splicing can be achieved, 60 meters without dark shadow, no pressure drop.

具有桥架与线槽二合一的底部走线设计, 施工方便, 自由更换底灯, 可实现无缝拼接, 60米无暗影, 出光无压降。

Wire-Free

Bridge + trunking 2 in 1

Modularized

Downlights, Spotlights, Projectors, Displays, Emergency lighting

Up to 40% Energy Saving

Provide energy storage services to bring downthe cost of electricity consumption

Premium Trending Design

Main trend in Europe & America

The design of integrating bridge and wire channel is simple to install,it also reduces the labor cost of installation and house structural damage, so that the store as a whole is more neat and beautiful; press type dismantling lamps and lanterns, store layout can be changed freely.



桥架与线槽一体化的设计, 安装简单, 减少了安装的人工成本和房屋结构的破坏, 使店面整体更加整洁美观; 按压式拆卸灯具, 店面布局可自由改变。



Decoration	/ 装饰性
------------	-------

Modelling design, a variety of lights concentrated in the trunking rail, splicing any desired shape, simple, beautiful and generous, the top is no longer cluttered, create a bright and open shopping environment for people.

造型设计, 将各种灯集中在线槽里拼接任意想要的造型, 即简单又美观大方顶部不再凌乱, 给人们营造明亮开放的购物环境。



III

High light Efficiency Linear light

偏光系列 / 高光效线条灯

Adopts to innovative environmental friendly material,precision automatic forming process,newly private mold to create exclusive optic solutions.With super high light efficiency and affordable price,easy to install,quickly connect.

DIP Switch for power adjustment,with 4-speed current selection function.Widely used in spaces like office,commercial,supermarket, goods shelf,public aisles,etc.



采用创新的环保材料,通过精密的自动成型工艺,全新私模打造专属的光学方案。拥有超高光效,和亲民的价格,方便安装,能快速拼接。DIP开关用于调节功率,具备4档电流选择功能,广泛应用于办公、商业、超市、货架、公共过道等空间。



High light Efficiency Linear light



序号	产品型号	尺寸	功率	色温	光束角	光效
No.	Item No	Size	Power	CCT	Beam Angle	LM/W
1	DD-F866-1	L1200*W60*H35MM	40W	4000k,6500k	D90°	160LM/W
2	DD-F866-2	L1500*W60*H35MM	50W	4000k,6500k	D90°	160LM/W
3	DD-F866-3	L1200*W60*H35MM	26W/34W/42W/50W	3000k/4000k/5000k	D90°	140LM/W
4	DD-F866-4	L1500*W60*H35MM	36W/44W/52W/60W	3000k/4000k/5000k	D90°	140LM/W




Polarized Lighting System

偏光二代 / L型拼接
Polarized Series Generation II / L-Shape connection

Can achieve straight/T-shape/L-shape/X-shape connection
Suitable for office lighting,commercial lighting,sales channels like engineer project,high-end wholesaler,etc.
support square grille mounted/suspension mounted/surface mounted/wall mounted.

实现:可一字 / T型 / L型 / X型拼接
适用:办公照明、商业照明、工程项目、高端批发等销售渠道
支持:方通 / 吊装 / 吸顶 / 壁装



序号	产品系列	产品名称	尺寸	光电参数	功率拨码	色温拨码	材质	颜色	光束角	包装尺寸	认证
No.	Product series	Product name	Dimension	Optical data	DIP power	DIP CCT	Material	Color	Beam Angle	Package size	Certificate
1	Polarized Series F866	Polarized Linear Light	L1265*W60*H35mm	PF:>0.9 / Ra:>80 Light efficacy: 140lm/w	28-36-42-50W Selectable	3000-4000-5000K Selectable	Pre-coated steel+optical lens	黑Black/白White	60°/90°/R/L 20°/RL 25°	inner box:L67×W42×H1350mm/1pc/1 outer carton:L1365×W300×H110mm/8pcs/1	CB/CE
2	Polarized Series F866	Polarized Linear Light	L1565*W60*H35mm	PF:>0.9 / Ra:>80 Light efficacy: 140lm/w	36-44-52-60W Selectable	3000-4000-5000K Selectable	Pre-coated steel+optical lens	黑Black/白White	60°/90°/R/L 20°/RL 25°	inner box:L67×W42×H1650mm/1pcs/1 outer carton:L1665×W300×H110mm/8pcs/1	CB/CE
3	Polarized Series F866	T-shape connector	L500x300*W60*H35	PF:>0.9 / Ra:>80 Light efficacy: 140lm/w	18-24-28-34W Selectable	3000-4000-5000K Selectable	Pre-coated steel+optical lens	黑Black/白White	60°/90°/R/L 20°/RL 25°	inner box:L520×W320×H45mm/1pcs/1 outer carton:L535×W340×H255mm/10pcs/1	CB/CE
4	Polarized Series F866	L-shape connector	L365x300*W60*H35	PF:>0.9 / Ra:>80 Light efficacy: 140lm/w	14-18-21-25W Selectable	3000-4000-5000K Selectable	Pre-coated steel+optical lens	黑Black/白White	60°/90°/R/L 20°/RL 25°	inner box:L380×W320×H45mm/1pcs/1 outer carton:L400×W340×H255mm/10pcs/1	CB/CE
5	Polarized Series F866	X-shape connector	L500x500*W60*H35	PF:>0.9 / Ra:>80 Light efficacy: 140lm/w	24-30-34-42W Selectable	3000-4000-5000K Selectable	Pre-coated steel+optical lens	黑Black/白White	60°/90°/R/L 20°/RL 25°	inner box:L520×W520×H45mm/1pcs/1 outer carton:L535×W535×H255mm/10pcs/1	CB/CE



Ultra-thin power supply +hidden track adaptor
超薄电源+隐藏轨道头



序号	产品型号	尺寸	功率	色温	光束角	光效
No.	Item No	Size	Power	CCT	Beam Angle	LM/W
1	DD-F980-7C	L580*W64*H54MM	18W/20W/24W	3000k,4000k,6500k	D60° D90°	130LM/W
2	DD-F980-8C	L1150*W64*H54MM	36W/40W/48W	3000k,4000k,6500k	D60° D90°	130LM/W


Track Linear Light

Grille optics

轨道线条灯/ 格栅光学

Adopts to grille optical design,achieving advanced unti-glare effect of seeing the light but not seeing the light fixtures, providing a more comfortable lighting experience.With ultra-thin power supply module and true shadowless installation with hidden track clips.Compatible with 3-wire,4-wire and 6-wire track systems.DIP Switch for power adjustment,with 3-speed current selection function and support DALI protocol.Widely used in commercial and public spaces.

采用格栅光学设计，实现了见光不见灯的高级防眩效果，提供更加舒适的照明体验。具备超薄电源模块，并通过隐藏式轨道卡扣实现真正的无影安装。兼容3线、4线、6线轨道系统。DIP开关用于调节功率，具备3档电流选择功能，支持DALI协议。广泛应用于商业及公共空间。





Track Linear Light

Lens Optics


轨道线条灯/ 透镜光学

With fully transparent optical lens design,it has high brightness and flawless visual effect.Features ultra-thin power supply module and true shadowless installation with hidden track clips.Compatible with 3-wire,4-wire and 6-wire track systems.DIP Switch for power adjustment,with 3-speed current selection function and support DALI protocol.Widely used in commercial and public spaces.

采用全透明的透镜光学设计，具备高亮无瑕的视觉效果。具备超薄电源模块，并通过隐藏式轨道卡扣实现真正的无影安装。兼容3线、4线、6线轨道系统。DIP开关用于调节功率，具备3档电流选择功能，支持DALI协议。广泛应用于商业及公共空间。



序号	产品型号	尺寸	功率	色温	光束角	光效
No.	Item No	Size	Power	CCT	Beam Angle	LM/W
1	DD-F980-1A	L580*W62*H48MM	18W/20W/24W	3000k,4000k,6500k	D60° D90° P20° RI25	160LM/W
2	DD-F980-2A	L1150*W62*H48MM	36W/40W/48W	3000k,4000k,6500k	D60° D90° P20° RI25	160LM/W
3	DD-F980-3A	L1440*W62*H48MM	48W/56W/64W	3000k,4000k,6500k	D60° D90° P20° RI25	160LM/W





Ultra-thin power supply +hidden track adaptor
超薄电源+隐藏轨道头



序号	产品型号	尺寸	功率	色温	光束角	光效
No.	Item No	Size	Power	CCT	Beam Angle	LM/W
1	DD-F980-4B	L580*W62*H68MM	18W/20W/24W	3000k,4000k,6500k	D120°	100LM/W
2	DD-F980-5B	L1150*W62*H68MM	36W/40W/48W	3000k,4000k,6500k	D120°	100LM/W
3	DD-F980-6B	L1440*W62*H68MM	48W/56W/64W	3000k,4000k,6500k	D120°	100LM/W


Track Linear Light


PC flood lighting

轨道线条灯/ PC泛光照明

With a soft PC optical cover,the light is evenly distributed to reduce the glare and harshness,providing comfortable lighting experience for environment.Features ultra-thin power supply module and true shadowless installation with hidden track clips.Compatible with 3-wire,4-wire and 6-wire track systems.DIP Switch for power adjustment,with 3-speed current selection function and support DALI protocol.Easy to install and maintenance, flexibly suitable for varieties of lighting demands,widely used in commercial,household and public spaces.

采用柔和的PC光学罩，光线均匀分布，减少眩光与刺眼感，为环境提供舒适的光照体验。具备超薄电源模块，并通过隐藏式轨道卡扣实现真正的无影安装。兼容3线、4线、6线轨道系统。DIP开关用于调节功率，具备3档电流选择功能，支持DALI协议。易于安装与维护，灵活适应各种照明需求，广泛应用于商业、家居及公共空间。





吊装系列 / Pendant series

Featuring a premium aluminum frame, incorporates three optical cover options: grille, lens and PC. It offers options of polarization angles of D60° and D90°, supports seamless straight-line splicing, and balances aesthetic appeal, optical performance, and installation flexibility.

高端铝材外框加持，搭配格栅、透镜、PC 三种光学面罩设计，单偏光角度提供 D60°/D90° 双选项，支持一字型无缝拼接，兼顾质感、光学性能与安装灵活性。


PC 线条灯 / PC Linear Light

透镜线条灯 / Lens Linear Light

格栅线条灯 / Grille Linear Light



序号	产品系列	产品名称	尺寸	光电参数	功率拨码	色温拨码	材质	颜色	光束角	包装尺寸	认证
No.	Product series	Product name	Dimension	Optical data	DIP power	DIP CCT	Material	Color	Beam Angle	Package size	Certificate
1	Light Distributed type Pendant Series	Grille linear light	L1150*W65*H42MM	130LM/W	40W	3000-4000-6500K Selectable	Aluminium profile+ Grille cover	黑Black/白White	D60°/D90°	inner box:L72×W50×H1240mm/1pc/1 outer carton:L1255×W320×H120mm/8pcs/1	CB/CE
2	Light Distributed type Pendant Series	Optical lens linear light	L1150*W65*H42MM	160LM/W	40W	3000-4000-6500K Selectable	Aluminium profile+ Optical lens cover	黑Black/白White	D60°/D90°	inner box:L72×W50×H1240mm/1pcs/1 outer carton:L1255×W320×H120mm/8pcs/1	CB/CE
3	Light Distributed type Pendant Series	PC cover linear light	L1150*W65*H54MM	100LM/W	40W	3000-4000-6500K Selectable	Aluminium profile+ PC cover	黑Black/白White	D110°	inner box:L72×W50×H1240mm/1pcs/1 outer carton:L1255×W320×H130mm/8pcs/1	CB/CE



III



吸顶系列 / Surface mounted series

Featuring a premium aluminum frame,incorporates three optical cover options: grille, lens and PC. It offers options of polarization angles of D60° and D90°, supports seamless straight-line splicing, and balances aesthetic appeal, optical performance, and installation flexibility.

高端铝材外框加持，搭配格栅、透镜、PC 三种光学面罩设计，单偏光角度提供 D60°/D90° 双选项，支持一字型无缝拼接，兼顾质感、光学性能与安装灵活性。

格栅线条灯 / Grille Linear Light




PC 线条灯 / PC Linear Light



透镜线条灯 / Lens Linear Light




序号	产品系列	产品名称	尺寸	光电参数	功率拨码	色温拨码	材质	颜色	光束角	包装尺寸	认证
No.	Product series	Product name	Dimension	Optical data	DIP power	DIP CCT	Material	Color	Beam Angle	Package size	Certificate
1	Light Distributed type Surface mounted Series	Grille linear light	L1150*W65*H42MM	130LM/W	40W	3000-4000-6500K Selectable	Aluminium profile+ Grille cover	黑Black/白White	D60°/D90°	inner box : L72×W50×H1240mm/1pc/1 outer carton : L1255×W320×H120mm/8pcs/1	CB/CE
2	Light Distributed type Surface mounted Series	Optical lens linear light	L1150*W65*H42MM	160LM/W	40W	3000-4000-6500K Selectable	Aluminium profile+ Optical lens cover	黑Black/白White	D60°/D90°	inner box : L72×W50×H1240mm/1pcs/1 outer carton : L1255×W320×H120mm/8pcs/1	CB/CE
3	Light Distributed type Surface mounted Series	PC cover linear light	L1150*W65*H54MM	100LM/W	40W	3000-4000-6500K Selectable	Aluminium profile+ PC cover	黑Black/白White	D110°	inner box : L72×W50×H1240mm/1pcs/1 outer carton : L1255×W320×H130mm/8pcs/1	CB/CE





Splicing shape:
T-shaped, Y-shaped, X-shaped, L-shaped, hexagon-shaped, V-shaped




III

Budget-Friendly Linear Light


50B/70B Series 经济型线条灯/ 50B

Adopts to innovative environmental friendly material,precision automatic forming process,at the time of cost reduction,quality and efficiency simultaneously improved.DIP Switch for power adjustment,with 3-speed current selection function.PC and PC prismatic cover are available to choose at the same time.Support customization like size,power,CCT and colors.Widely used in spaces like office,commercial,public aisles,garage,etc.

采用创新环保材料，精密自动成型工艺，在降低成本的同时，品质与效率同步提升。DIP开关用于调节功率，具备3档电流选择功能。PC与PC菱晶罩同时可选配。支持尺寸、功率、色温、外观颜色定制。广泛应用于办公、商业、公共过道、车库等空间。



序号	产品型号	尺寸	功率	色温	光束角	光效
No.	Item No	Size	Power	CCT	Beam Angle	LM/W
1	DD-F156-1	L1200*W50*H60MM	24W	4000k,6500k	D120°	120LM/W
2	DD-F156-2	L1500*W50*H60MM	30W	4000k,6500k	D120°	120LM/W
3	DD-F156-3	L1200*W50*H60MM	24W/32W/40W	3000k/4000k/5000k	D120°	100LM/W
4	DD-F156-4	L1500*W50*H60MM	24W/32W/40W	3000k/4000k/5000k	D120°	100LM/W




III

Budget-Friendly Linear Light

Optical lens linear light 透镜线条灯/ 50B

Adopts to innovative environmental friendly material,precision automatic forming process,and features with the optical advantages of lens,achieving double advantages of the controlling lighting effect and not increased too much for the cost.Support customization like size,power,CCT,color,etc.Widely used in spaces like offices and commercial.


运用创新的环保材料，结合精密的自动成型工艺，并借助透镜的光学优势，实现了既具有控光效果又不会显著增加成本的双重优势。支持尺寸、功率、色温、外观颜色定制。广泛应用于办公、商业等空间。



序号	产品型号	尺寸	功率	色温	光束角	光效
No.	Item No	Size	Power	CCT	Beam Angle	LM/W
1	DD-F156-5	L1150*W50*H60MM	24W	4000k,6500k	D60° D90°	90LM/W
2	DD-F156-6	L1440*W50*H60MM	30W	4000k,6500k	D60° D90°	90LM/W



Splicing shape:
T-shaped, Y-shaped, X-shaped, L-shaped, hexagon-shaped, V-shaped



III

Budget-Friendly Linear Light

50B/70B Series


经济型线条灯/ 70B

Adopts to innovative environmental friendly material,precision automatic forming process,at the time of cost reduction,quality and efficiency simultaneously improved.DIP Switch for power adjustment,with 3-speed current selection function.PC and PC prismatic cover are available to choose at the same time.Support customization like size,power,CCT and colors.Widely used in spaces like office,commercial,public aisles,garage,etc.

采用创新环保材料，精密自动成型工艺，在降低成本的同时，品质与效率同步提升。DIP开关用于调节功率，具备3档电流选择功能。PC与PC菱晶罩同时可选配。支持尺寸、功率、色温、外观颜色定制。广泛应用于办公、商业、公共过道、车库等空间。



序号	产品型号	尺寸	功率	色温	光束角	光效
No.	Item No	Size	Power	CCT	Beam Angle	LM/W
1	DD-F166-1	L1200*W70*H60MM	24W	4000k,6500k	D120°	120LM/W
2	DD-F166-2	L1500*W70*H60MM	30W	4000k,6500k	D120°	120LM/W
3	DD-F166-3	L1200*W70*H60MM	24W/32W/40W	3000k/4000k/5000k	D120°	100LM/W
4	DD-F166-4	L1500*W70*H60MM	24W/32W/40W	3000k/4000k/5000k	D120°	100LM/W



III

Budget-Friendly Linear Light

Optical lens linear light

透镜线条灯/ 70B

Adopts to innovative environmental friendly material,precision automatic forming process,and features with the optical advantages of lens,achieving double advantages of the controlling lighting effect and not increased too much for the cost.Support customization like size,power,CCT,color,etc.Widely used in spaces like offices and commercial.

运用创新的环保材料，结合精密的自动成型工艺，并借助透镜的光学优势，实现了既具有控光效果又不会显著增加成本的双重优势。支持尺寸、功率、色温、外观颜色定制。广泛应用于办公、商业等空间。




序号	产品型号	尺寸	功率	色温	光束角	光效
No.	Item No	Size	Power	CCT	Beam Angle	LM/W
1	DD-F166-5	L1150*W70*H60MM	24W	4000k,6500k	D60° D90°	140LM/W
2	DD-F166-6	L1440*W70*H60MM	30W	4000k,6500k	D60° D90°	140LM/W

Recessed Linear Light


嵌入式线条灯

Adopts to innovative environmental friendly material,precision automatic forming process,recessed type with edges design achieves the seamless combination between lighting fixtures and ceiling,effectively save spaces,available to length customization,achieving seamless connection effect.DIP Switch for power adjustment,with 4-speed current selection function.Widely used in spaces like office,commercial,hospital,public aisles,etc.

采用创新的环保材料,并借助精密的自动化成型技术,嵌入式扣边设计实现了灯具与天花板的无缝对接,有效节省了空间,能定制长度,实现无缝拼接效果。DIP开关用于调节功率,具备4档电流选择功能。广泛应用于办公、商业、医院、公共过道等空间。



序号	产品型号	尺寸	功率	色温	光束角	光效
No.	Item No	Size	Power	CCT	Beam Angle	LM/W
1	DD-F187-1	L1210*W84*H55MM	24W	4000k,6500k	D120°	110LM/W
2	DD-F187-2	L1210*W114*H55MM	36W	4000k,6500k	D120°	110LM/W
3	DD-F187-3	L1210*W84*H55MM	28W/32W/36W/40W	3000k/4000k/5000k	D120°	100LM/W
4	DD-F187-4	L1210*W114*H55MM	28W/32W/36W/40W	3000k/4000k/5000k	D120°	100LM/W



Ultra-thin Linear Light


领航系列线条灯


Adopts to innovative environmental friendly material,precision automatic forming process,achieving ultra-thin light body design,not only increased the light efficiency but also decreased the transportation cost and saved the storage space.

运用创新的环保材料，并结合精密的自动化成型技术，实现了超薄的灯体设计，这不仅提升了光效，还减少了运输成本并节约了存储空间。



序号	产品型号	尺寸	功率	色温	光束角	光效
No.	Item No	Size	Power	CCT	Beam Angle	LM/W
1	DD-F306	L1200*W60*H40MM	24W	4000k,6500k	D120°	80LM/W
2	DD-F308	L1200*W80*H40MM	24W	4000k,6500k	D120°	80LM/W
3	DD-F310	L1200*W100*H40MM	30W	4000k,6500k	D120°	100LM/W
4	DD-F315	L1200*W150*H40MM	36W	4000k,6500k	D120°	100LM/W
5	DD-F320	L1200*W200*H40MM	36W	4000k,6500k	D120°	100LM/W





Michelin linear light Series

米其林系列线条灯

Use aluminium light housing, and full spectrum LED chips which is near to the sunlight, makes the color much more realistic. Equipped with precision optics, providing multiple colors, angles and optical lens for your choice. Up and down lighting design makes the spaces more evenly, ensuring you enjoyed more comfortable environment.

采用铝制外壳，采用接近太阳光的全光谱灯珠色彩更真实，搭载精密光学元件，提供多种色彩、多角度以及多款式光学透镜供您选择。上下发光的设计让空间更均匀，确保您享受到更舒适的环境。



序号	产品型号	尺寸	功率	色温	显指	光束角	光效
No.	Item No	Size	Power	CCT	CRI	Beam Angle	LM/W
1	DD-F820-1	L1170*W22*H65MM 方形透镜	上发光Uplighting27W+ Downlighting 9W	5000k	≥97	D36°	95LM/W
2	DD-F820-2	L1160*W22*H65MM 方形反光杯	上发光Uplighting27W+ Downlighting 9W	5000k	≥97	D45°45°	95LM/W



III

Connected Linear Lighting Fixtures

It adopts a high-end aluminum frame, with four optional optical covers including PC, prismatic crystal, grille, and honeycomb. It features a dual DIP switch adjustment function for 3 power levels and 3 color temperatures, along with a hidden wiring electrical splicing solution. It supports multiple installation methods and various light-emitting shaped accessories.

拼接型线条灯

采用高端铝材框架,PC/菱晶/格栅/蜂巢四种光学面罩罩可选,具备3档功率+3种色温双拨码调节功能,隐藏走线电性拼接方案,支持多种安装方式和可发光的各种造型配件。



序号	产品系列	产品名称	尺寸	光电参数	功率拨码	色温拨码	材质	颜色	光束角	包装尺寸	认证
No.	Product series	Product name	Dimension	Optical data	DIP power	DIP CCT	Material	Color	Beam Angle	Package size	Certificate
1	F905	Connected Linear Lighting Fixtures	L1200*W50*H70mm	PF:>0.9 / Ra:>90 Light efficacy: 100lm/w	Power:24-32-40W Selectable	3000-4000-5000K Selectable	Aluminium profile+PC Prismatic/Grille/Honeycomb	黑Black/白White	120°	inner box:L97*W77*H1250mm/1pc/1 outer carton:L1265*W255*H215mm/6pcs/1	CB/CE
2	F905	 T-shape connector	L257x157*W50*H72	PF:>0.9 / Ra:>90 Light efficacy: 100lm/w	Power:8-10-13W Selectable	3000-4000-5000K Selectable	Aluminium profile+PC Prismatic/Grille/Honeycomb	黑Black/白White	120°	inner box:L265*W80*H170mm/2pcs/1 outer carton:L545*W345*H190mm/10pcs/1	CB/CE
3	F905	 L-shape connector	L157x157*W50*H72	PF:>0.9 / Ra:>90 Light efficacy: 100lm/w	Power:5-7-9W Selectable	3000-4000-5000K Selectable	Aluminium profile+PC Prismatic/Grille/Honeycomb	黑Black/白White	120°	inner box:L165*W80*H170mm/2pcs/1 outer carton:L430*W345*H190mm/10pcs/1	CB/CE
4	F905	 X-shape connector	L257x257*W50*H72	PF:>0.9 / Ra:>90 Light efficacy: 100lm/w	Power:11-14-17W Selectable	3000-4000-5000K Selectable	Aluminium profile+PC Prismatic/Grille/Honeycomb	黑Black/白White	120°	inner box:L265*W80*H170mm/2pcs/1 outer carton:L545*W430*H290mm/10pcs/1	CB/CE

High-Quality Materials

This series of lighting fixtures features a premium aluminum frame and equipped with PC prismatic as diffuser

灯具采用高端铝材精心打造框架,并以PC/菱晶/格栅/蜂巢作为面罩。

Flexible Adjustment

Featuring a cost-effective dual DIP switch solution, a single lamp achieves 3-level power adjustment and 3CCT switching.Decrease SKU qty from 6 to 1, significantly reducing inventory turnover pressure.

具备双拨码功能,提供3档功率调节和3CCT色温调节,将SKU数量从6个精简至1个,显著降低库存周转压力。


Convenient Splicing

Internal cleverly hidden wiring design allows direct electrical connection between lights via terminals by simply removing the end caps, creating an economical electrical connection solution.

内部巧妙隐藏走线设计,灯与灯之间只需取下端盖,即可通过端子直接接电,构成经济实惠的电性拼接方案。

Widely applied for:office lighting,commercial lighting,sales channels like engineer project,high-end wholesaler,etc.

广泛适用于:办公照明、商业照明、工程项目、高端批发等销售渠道。



Diversified Installation, Wide Adaptability

Supporting wall mounted,grille ceilling mounted,suspension mounted,surface mounted installations.

支持壁装、方通、吊装、吸顶等多种安装方式。





Creative Splicing

/ 创意拼接

It features luminous T, L, and X-shaped connection accessories that can be flexibly combined to create diverse lighting effects.

配备可发光的L、T、X、一字等造型配件,能够灵活组合成各式各样的照明效果。





III

MiNi Strip Light

UNIQUE / using ultra-small 1616 led beads

Small size Mini strips comparable to COB strips,
exquisite lighting performance!

product description

Mini strip light is a super mini strip light made of the smallest LED bead so far and super narrow PCB board, and high-density flip-chip package with substrate.


Features

Compared with traditional strip light,super small size,five sides emit light, and the light emitting surface is super large,can split light,the light efficiency is super higher,adopts new technology, with high stability and easy to repair.

The size of the LED beads is only 1.6*1.6*0.65mm, and the narrowest PCB board can be made as 4mm width.

Application Environment

It can be widely used in furniture products with small size and small grooves reserved for ambient lights.Can be widly applied to places that do not cause much damage to themselves and have high requirements for lighting.Can be widely applied to commercial premises for accent lighting or auxiliary lighting and free DIY space creation.



Epoxy process



Bare board process



Silicone technology



III

Polarized Light Strip

The flexible wall washing function/light source adopts direct luminescence and polarized 30 ° organic silicone integrated molding, bare board process, high brightness, and excellent linear effect!

Bare board+organic silicone integrated molding


The flexible polarized light strip adopts internationally renowned brand company lamp beads, which have good heat dissipation. Lightweight, exquisite, flexible and flexible, easy to install, combined with specialized simple installation accessories, it can achieve wall washing effect with low cost and good effect, and the wall washing effect can reach 5-7 meters.



Model: DT-XQ100C24-1001



Organic silicone integrated polarized silicone light strip



Polarized dual color temperature bare plate light strip



Specification	power	Dimensions	CCT	light effect	CRI	luminescence	Package
Xq100	17W	w8mm	3000K/4000k6500k	60Lm/W	> 90	30°direct luminescence	5M/roll
XQ100T24	17W	w8mm	2700K+6500k	60Lm/W	> 90	30°direct luminescence	5M/roll
Xq200	17W	W12*H12mm	3000K/4000k6500k	50Lm/W	> 90	30°direct luminescence	5M/roll
XQ200T24	17W	W12*H12mm	2700K+6500k	50Lm/W	> 90	30°direct luminescence	5M/roll

MILIEU

LED special polarized light strip

Creating and change life with atmosphere Lighting



30°
Polarized light

III


Enterprise Certificates

资质认证

200⁺
项国家发明专利



制做工艺要求



工艺参照样图

【类型】：翻页册子形式

【纸张】：(封面300G特殊纸，内页157G铜版纸) 覆哑膜

【工艺】：封面字体图形局部UV工艺 (工艺成本允许条件下)

【装订】：采用胶装形式

【页数】：31页 62P

【尺寸】：420X285mm 单面尺寸:210X285mm(印刷各边预留3MM出血位切边)

注：此文档以电子阅读为准，印刷时需取消中间翻页的效果



LIGHTING FIXTURES

Professional and dedicated to providing customized
lighting fixture services.
照明灯具, 专业专注提供照明灯具定制化服务

深圳市绿色半导体照明有限公司
Light Green International Co., Ltd.

www.light-green.cn

2025.06